

3-20-2020

CALET results after three years on the International Space Station

Y. Asaoka
Waseda University

O. Adriani
Università degli Studi di Firenze

Y. Akaike
University of Maryland, Baltimore (UMB)

K. Asano
The University of Tokyo

M. G. Bagliesi
Università degli Studi di Siena

See next page for additional authors

Follow this and additional works at: https://digitalcommons.lsu.edu/physics_astronomy_pubs

Recommended Citation

Asaoka, Y., Adriani, O., Akaike, Y., Asano, K., Bagliesi, M., Berti, E., Bigongiari, G., Binns, W., Bonechi, S., Bonghi, M., Bruno, A., Buckley, J., Cannady, N., Castellini, G., Checchia, C., Cherry, M., Collazuol, G., Di Felice, V., Ebisawa, K., Fuke, H., Guzik, T., Hams, T., Hibino, K., Ichimura, M., Ioka, K., Ishizaki, W., Israel, M., Kasahara, K., Kataoka, J., Kataoka, R., Katayose, Y., Kato, C., & Kawanaka, N. (2020). CALET results after three years on the International Space Station. *Journal of Physics: Conference Series*, 1468 (1) <https://doi.org/10.1088/1742-6596/1468/1/012074>

This Conference Proceeding is brought to you for free and open access by the Department of Physics & Astronomy at LSU Digital Commons. It has been accepted for inclusion in Faculty Publications by an authorized administrator of LSU Digital Commons. For more information, please contact ir@lsu.edu.

Authors

Y. Asaoka, O. Adriani, Y. Akaike, K. Asano, M. G. Bagliesi, E. Berti, G. Bigongiari, W. R. Binns, S. Bonechi, M. Bongi, A. Bruno, J. H. Buckley, N. Cannady, G. Castellini, C. Checchia, M. L. Cherry, G. Collazuol, V. Di Felice, K. Ebisawa, H. Fuke, T. G. Guzik, T. Hams, K. Hibino, M. Ichimura, K. Ioka, W. Ishizaki, M. H. Israel, K. Kasahara, J. Kataoka, R. Kataoka, Y. Katayose, C. Kato, and N. Kawanaka

PAPER • OPEN ACCESS

CALET results after three years on the International Space Station

To cite this article: Y Asaoka *et al* 2020 *J. Phys.: Conf. Ser.* **1468** 012074

View the [article online](#) for updates and enhancements.

You may also like

- [High-energy astroparticle physics with CALET](#)
Paolo Maestro
- [Search for GeV Gamma-Ray Counterparts of Gravitational Wave Events by CALET](#)
O. Adriani, Y. Akaïke, K. Asano et al.
- [CALET's sensitivity to Dark Matter annihilation in the galactic halo](#)
H. Motz, Y. Asaoka, S. Torii et al.



240th ECS Meeting

Digital Meeting, Oct 10-14, 2021

We are going fully digital!

Attendees register for free!

REGISTER NOW



CALET results after three years on the International Space Station

Y Asaoka^{1,2}, O Adriani^{3,4}, Y Akaike^{5,6}, K Asano⁷, M G Bagliesi^{8,9}, E Berti^{3,4}, G Bigongiari^{8,9}, W R Binns¹⁰, S Bonechi^{8,9}, M Bonghi^{3,4}, A Bruno¹¹, J H Buckley¹⁰, N Cannady^{5,6}, G Castellini¹², C Checchia^{13,14}, M L Cherry¹⁵, G Collazuol^{13,14}, V Di Felice^{16,17}, K Ebisawa¹⁸, H Fuke¹⁸, T G Guzik¹⁵, T Hams^{5,19}, K Hibino²⁰, M Ichimura²¹, K Ioka²², W Ishizaki²², M H Israel¹⁰, K Kasahara²³, J Kataoka¹, R Kataoka²⁴, Y Katayose²⁵, C Kato²⁶, N Kawanaka^{27,28}, Y Kawakubo¹⁵, K Kohri²⁹, H S Krawczynski¹⁰, J F Krizmanic^{5,19}, J Link^{5,19}, P Maestro^{8,9}, P S Marrocchesi^{8,9}, A M Messineo^{30,9}, J W Mitchell⁶, S Miyake³¹, A A Moiseev^{32,19}, M Mori³³, N Mori⁴, H M Motz³⁴, K Munakata²⁶, S Nakahira¹⁸, J Nishimura¹⁸, G A de Nolfo¹¹, S Okuno²⁰, N Opsina¹⁴, J F Ormes³⁵, S Ozawa³⁶, L Pacini^{3,12,4}, F Palma^{16,17}, V Pal'shin³⁷, P Papini⁴, B F Rauch¹⁰, S B Ricciarini^{12,4}, K Sakai^{5,19}, T Sakamoto³⁷, M Sasaki^{32,19}, Y Shimizu²⁰, A Shiomi³⁸, R Sparvoli^{16,17}, P Spillantini³, F Stolzi^{8,9}, S Sugita³⁷, J E Suh^{8,9}, A Sulaj^{8,9}, I Takahashi³⁹, M Takita⁷, T Tamura²⁰, T Terasawa⁷, S Torii^{1,40}, Y Tsunesada⁴¹, Y Uchihori⁴², E Vannuccini⁴, J P Wefel¹⁵, K Yamaoka⁴³, S Yanagita⁴⁴, A Yoshida³⁷, K Yoshida²³

¹ WISE, Waseda University, 3-4-1 Okubo, Shinjuku, Tokyo 169-8555, Japan

² JEM Utilization Center, Human Spaceflight Technology Directorate, Japan Aerospace Exploration Agency, 2-1-1 Sengen, Tsukuba, Ibaraki 305-8505, Japan

³ Department of Physics, University of Florence, Via Sansone, 1 - 50019 Sesto, Fiorentino, Italy

⁴ INFN Sezione di Florence, Via Sansone, 1 - 50019 Sesto, Fiorentino, Italy

⁵ Department of Physics, University of Maryland, Baltimore County, 1000 Hilltop Circle, Baltimore, Maryland 21250, USA

⁶ Astroparticle Physics Laboratory, NASA/GSFC, Greenbelt, Maryland 20771, USA

⁷ ICRR, The University of Tokyo, 5-1-5 Kashiwa-no-Ha, Kashiwa, Chiba 277-8582, Japan

⁸ Department of Physical Sciences, Earth and Environment, University of Siena, via Roma 56, 53100 Siena, Italy

⁹ INFN Sezione di Pisa, Polo Fibonacci, Largo B. Pontecorvo, 3 - 56127 Pisa, Italy

¹⁰ Department of Physics and McDonnell Center for the Space Sciences, Washington University, One Brookings Drive, St. Louis, Missouri 63130-4899, USA

¹¹ Heliospheric Physics Laboratory, NASA/GSFC, Greenbelt, Maryland 20771, USA

¹² IFAC, CNR, Via Madonna del Piano, 10, 50019 Sesto, Fiorentino, Italy

¹³ Department of Physics and Astronomy, University of Padova, Via Marzolo, 8, 35131 Padova, Italy

¹⁴ INFN Sezione di Padova, Via Marzolo, 8, 35131 Padova, Italy

¹⁵ Department of Physics and Astronomy, Louisiana State University, 202 Nicholson Hall, Baton Rouge, Louisiana 70803, USA

¹⁶ University of Rome "Tor Vergata", Via della Ricerca Scientifica 1, 00133 Rome, Italy



- ¹⁷ INFN Sezione di Rome “Tor Vergata”, Via della Ricerca Scientifica 1, 00133 Rome, Italy
- ¹⁸ Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency, 3-1-1 Yoshinodai, Chuo, Sagamihara, Kanagawa 252-5210, Japan
- ¹⁹ CRESST and Astroparticle Physics Laboratory NASA/GSFC, Greenbelt, Maryland 20771, USA
- ²⁰ Kanagawa University, 3-27-1 Rokkakubashi, Kanagawa, Yokohama, Kanagawa 221-8686, Japan
- ²¹ Faculty of Science and Technology, Graduate School of Science and Technology, Hirosaki University, 3, Bunkyo, Hirosaki, Aomori 036-8561, Japan
- ²² Yukawa Institute for Theoretical Physics, Kyoto University, Kitashirakawa Oiwakecho, Sakyo, Kyoto 606-8502, Japan
- ²³ Department of Electronic Information Systems, Shibaura Institute of Technology, 307 Fukasaku, Minuma, Saitama 337-8570, Japan
- ²⁴ National Institute of Polar Research, 10-3, Midori-cho, Tachikawa, Tokyo 190-8518, Japan
- ²⁵ Faculty of Engineering, Division of Intelligent Systems Engineering, Yokohama National University, 79-5 Tokiwadai, Hodogaya, Yokohama 240-8501, Japan
- ²⁶ Faculty of Science, Shinshu University, 3-1-1 Asahi, Matsumoto, Nagano 390-8621, Japan
- ²⁷ Hakubi Center, Kyoto University, Yoshida Honmachi, Sakyo-ku, Kyoto 606-8501, Japan
- ²⁸ Department of Astronomy, Graduate School of Science, Kyoto University, Kitashirakawa Oiwake-cho, Sakyo-ku, Kyoto 606-8502, Japan
- ²⁹ Institute of Particle and Nuclear Studies, High Energy Accelerator Research Organization, 1-1 Oho, Tsukuba, Ibaraki 305-0801, Japan
- ³⁰ University of Pisa, Polo Fibonacci, Largo B. Pontecorvo, 3 - 56127 Pisa, Italy
- ³¹ Department of Electrical and Electronic Systems Engineering, National Institute of Technology (KOSEN), Ibaraki College, 866 Nakane, Hitachinaka, Ibaraki 312-8508 Japan
- ³² Department of Astronomy, University of Maryland, College Park, Maryland 20742, USA
- ³³ Department of Physical Sciences, College of Science and Engineering, Ritsumeikan University, Shiga 525-8577, Japan
- ³⁴ Faculty of Science and Engineering, Global Center for Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku, Tokyo 169-8555, Japan
- ³⁵ Department of Physics and Astronomy, University of Denver, Physics Building, Room 211, 2112 East Wesley Avenue, Denver, Colorado 80208-6900, USA
- ³⁶ NICT, QICT, 4-2-1 Nukui-Kitamachi, Koganei, Tokyo 183-8795, Japan
- ³⁷ College of Science and Engineering, Department of Physics and Mathematics, Aoyama Gakuin University, 5-10-1 Fuchinobe, Chuo, Sagamihara, Kanagawa 252-5258, Japan
- ³⁸ College of Industrial Technology, Nihon University, 1-2-1 Izumi, Narashino, Chiba 275-8575, Japan
- ³⁹ Kavli IPMU, The University of Tokyo, 5-1-5 Kashiwanoha, Kashiwa, 277-8583, Japan
- ⁴⁰ School of Advanced Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku, Tokyo 169-8555, Japan
- ⁴¹ Division of Mathematics and Physics, Graduate School of Science, Osaka City University, 3-3-138 Sugimoto, Sumiyoshi, Osaka 558-8585, Japan
- ⁴² National Institutes for Quantum and Radiation Science and Technology, 4-9-1 Anagawa, Inage, Chiba 263-8555, Japan
- ⁴³ Center for Orbital and Suborbital Observations, Institute for Space-Earth Environmental Research, Nagoya University, Furo, Chikusa, Nagoya 464-8601, Japan
- ⁴⁴ College of Science, Ibaraki University, 2-1-1 Bunkyo, Mito, Ibaraki 310-8512, Japan
- E-mail: yoichi.asaoka@aoni.waseda.jp

Abstract. The CALET (CALorimetric Electron Telescope) space experiment, which is currently conducting direct cosmic-ray observations onboard the International Space Station (ISS), is an all-calorimetric instrument optimized for cosmic-ray electron measurements with capability to measure hadrons and gamma-rays. Since the start of observation in October 2015, smooth and continuous operations have taken place. In this paper, we will give a brief summary of the CALET observations ranging from charged cosmic rays, gamma-rays, to space weather, while focusing on the energy spectra of electrons and protons.

1. Introduction

During the space era of the cosmic-ray direct measurements, the International Space Station (ISS) has become an important cosmic-ray observatory by hosting three instruments on orbit, i.e., AMS-02 (Alpha Magnetic Spectrometer), CALET (CALorimetric Electron Telescope), and ISS-CREAM (Cosmic Ray Energetics And Mass). Among them, CALET uses an all-calorimetric instrument with total vertical thickness of 30 radiation lengths and fine imaging capability [1]. The instrument is optimized for cosmic-ray electron measurements by achieving large proton rejection and excellent energy resolution well into the TeV energy region [2]. In addition, very wide dynamic range of energy measurements [2] and absolute charge identification capability (0.1–0.3e from proton to above iron) [3] of the instrument enable us to measure proton and nuclei spectra as well as electron and gamma-ray spectra. The CALET mission goals include the investigation of acceleration and propagation of galactic cosmic rays, of possible nearby sources, and of potential signature of dark matter. During a mission life of five years (or more), CALET will measure the flux of cosmic-ray electrons ($e^- + e^+$) to 20 TeV, gamma-rays to 10 TeV and nuclei with $Z=1$ to 40 up to 1,000 TeV for the more abundant elements. Since the start of on-orbit observation in October 2015, smooth and continuous operations have taken place [4].

2. Results

All-Electron Spectrum: High-energy cosmic-ray electrons provide a unique probe of nearby cosmic accelerators due to their radiative energy losses during propagation in the Galaxy. Using the dedicated instrument for direct measurements of all-electrons (electrons+positrons), CALET collaboration published its first result [5] up to 3 TeV in 2017. Subsequently, DAMPE (Dark Matter Particle Explorer) collaboration published their all-electron spectrum [6] up to 4.6 TeV.

In order to better compare with DAMPE's result, an updated version of the CALET all-electron spectrum based on ~ 2 times more statistics has recently been published up to 4.8 TeV [7] as shown in Fig. 1. Detailed description of the analysis procedure, systematic uncertainties, and discussions about the obtained spectrum are given in the paper and its supplemental material. In addition to them, it is noteworthy that the consistency between CALET and AMS-02 became even better by just updating AMS-02 results with more statistics [8]. In the low-energy region, the difference in solar modulation effects is mitigated because of overlap in the observation period, while statistics must be a crucial factor in the high-energy region.

Five years or more observations will give us 3 times more statistics and reduction of systematic errors based on the better understanding of the data. Since the possibility of new discoveries dwells in fine structures of the all-electron spectrum, the further precision in the sub-TeV region will allow us to investigate the origin of positron excess. By extending the energy reach and combining it with the anisotropy study, moreover, CALET's all-electron spectrum in the TeV region might identify a local cosmic-ray accelerator by taking advantage of its localness.

Proton Spectrum: As the most abundant species in cosmic rays, protons are extensively studied in the wide energy region to understand the high-energy radiation in the universe. In particular, the spectral hardening observed in the spectra of cosmic-ray protons and various nuclei triggered many attempts to theoretically interpret these unexpected phenomena. The current experimental approaches to direct measurements of the proton spectrum, however, are based on magnetic spectrometers (calorimeters) at lower (higher) energies, leaving a room for systematic errors between two types of experiments.

In 2019, progressive hardening of the cosmic-ray proton spectrum in the TeV region has been revealed [9] with CALET by a wide dynamic range measurement from 50 GeV to 10 TeV with a single instrument in space. As shown in Fig. 2, the observed spectrum is consistent with accurate magnet spectrometers in the low energy region but extends to nearly an order of magnitude higher energy, providing an important anchor for the interpretation of the proton spectrum. Again, detailed description of analysis and further discussions about the obtained




Figure 1. Cosmic-ray all-electron spectrum measured by CALET (red points) from 10.6 GeV to 4.75 TeV [7]. Also plotted are direct measurements in space and from ground-based experiments (see [7] for references), including the updated AMS-02 results [8].




Figure 2. Cosmic-ray proton spectrum measured by CALET (red points) from 50 GeV to 10 TeV [9]. Also plotted are recent direct measurements (see [9] for references). Recently published DAMPE results [10] are not included in the plot.

spectrum are given in the paper and its supplemental material.

The future main objective is to verify the charge-dependent acceleration limit of supernovae by precisely measuring the spectra of protons and helium up to the 100 TeV region, which might affect the interpretation of “knee” indirectly measured by ground-based detectors.

3. Summary and Prospects

Since October 2015, CALET continues very stable observation for more than 4 years. We have published all-electron spectrum [5, 7] and proton spectrum [9] including the detailed assessment of systematic errors. There are many more results such as heavy nuclei spectra [11, 12], gamma-ray observations including GW counterpart searches [13, 14, 15], and space weather [16]. The so far excellent performance of CALET and the outstanding quality of the data [17] suggest that a 5-year (or more) observation period is likely to provide a wealth of new interesting results.

Acknowledgment

We gratefully acknowledge JAXA’s contributions to the development of CALET and to the operations onboard the ISS. We also wish to express our sincere gratitude to ASI and NASA for their support of the CALET project. This work was supported in part by KAKENHI 26220708, 16K05382, 17H02901, 19H05608, 19H04617, 19H05112, and by the MEXT-Supported Program for the Strategic Research Foundation at Private Universities (2011-2015) (No. S1101021) at Waseda University. The CALET effort in the United States is supported by NASA through Grants No. NNX16AB99G, No. NNX16AC02G, and No. NNH14ZDA001N-APRA-0075.

References

- [1] Torii S *et al.* (CALET Collaboration) 2017 *Proceeding of Science (ICRC2017)* 1092
- [2] Asaoka Y, Akaike Y, Komiya Y, Miyata R, Torii S *et al.* (CALET Collaboration) 2017 *Astropart. Phys.* **91** 1
- [3] Marrocchesi P S *et al.* (CALET Collaboration) 2017 *Proceeding of Science (ICRC2017)* 156
- [4] Asaoka Y, Ozawa Y, Torii S *et al.* (CALET Collaboration) 2018 *Astropart. Phys.* **100** 29
- [5] Adriani O *et al.* (CALET Collaboration) 2017 *Phys. Rev. Lett.* **119** 181101
- [6] Ambrosi G *et al.* (DAMPE Collaboration) 2017 *Nature* **552** 63
- [7] Adriani O *et al.* (CALET Collaboration) 2018 *Phys. Rev. Lett.* **120** 261102
- [8] Aguilar M *et al.* (AMS Collaboration) 2019 *Phys. Rev. Lett.* **122** 101101
- [9] Adriani O *et al.* (CALET Collaboration) 2019 *Phys. Rev. Lett.* **122** 181102
- [10] An Q *et al.* (DAMPE Collaboration) 2019 *Sci. Adv.* **5** eaax3793
- [11] Maestro P *et al.* (CALET Collaboration) 2019 *Proceeding of Science (ICRC2019)*, 101
- [12] Akaike Y *et al.* (CALET Collaboration) 2019 *Proceeding of Science (ICRC2019)*, 034
- [13] Adriani O *et al.* (CALET Collaboration) 2016 *ApJL* **829** L20
- [14] Cannady N, Asaoka Y *et al.* (CALET Collaboration) 2018 *ApJS* **238** 5
- [15] Adriani O *et al.* (CALET Collaboration) 2018 *ApJ* **863** 160
- [16] Kataoka R *et al.* 2016 *Geophys. Res. Lett.* **43** doi:10.1002/2016GL068930
- [17] Asaoka Y *et al.* (CALET Collaboration) 2019 *Proceeding of Science (ICRC2019)*, 001