

6-14-2007

## Coherent communication with continuous quantum variables

Mark M. Wilde  
*University of Southern California*

Hari Krovi  
*University of Southern California*

Todd A. Brun  
*University of Southern California*

Follow this and additional works at: [https://digitalcommons.lsu.edu/physics\\_astronomy\\_pubs](https://digitalcommons.lsu.edu/physics_astronomy_pubs)

---

### Recommended Citation

Wilde, M., Krovi, H., & Brun, T. (2007). Coherent communication with continuous quantum variables. *Physical Review A - Atomic, Molecular, and Optical Physics*, 75 (6) <https://doi.org/10.1103/PhysRevA.75.060303>

This Article is brought to you for free and open access by the Department of Physics & Astronomy at LSU Digital Commons. It has been accepted for inclusion in Faculty Publications by an authorized administrator of LSU Digital Commons. For more information, please contact [ir@lsu.edu](mailto:ir@lsu.edu).

# Coherent Communication with Continuous Quantum Variables

Mark M. Wilde<sup>1,\*</sup>, Hari Krovi<sup>2</sup>, and Todd A. Brun<sup>2</sup>

<sup>1</sup>*Signal and Image Processing Institute,* <sup>2</sup>*Communication Sciences Institute,*  
*Department of Electrical Engineering, University of Southern California, Los Angeles, California 90089, USA*  
 (Dated: August 3, 2018; Received August 3, 2018; Revised; Accepted; Published)

The coherent bit (cobit) channel is a resource intermediate between classical and quantum communication. It produces coherent versions of teleportation and superdense coding. We extend the cobit channel to continuous variables by providing a definition of the coherent nat (conat) channel. We construct several coherent protocols that use both a position-quadrature and a momentum-quadrature conat channel with finite squeezing. Finally, we show that the quality of squeezing diminishes through successive compositions of coherent teleportation and superdense coding.

PACS numbers: 03.67.-a, 03.67.Hk, 42.50.Dv

Keywords: coherent communication, cobit channel, conat channel, continuous variables

The coherent bit (cobit) channel is a useful resource for quantum communication with discrete variables (DV) [1]. The cobit channel  $\Delta_{\sigma_Z}$  copies  $\sigma_Z$  eigenstates coherently from Alice to Bob:  $|i\rangle^A \rightarrow |i\rangle^A |i\rangle^B$ . “Coherence” in this context is synonymous with linearity—the maintenance and linear transformation of superposed states. We name the cobit channel  $\Delta_{\sigma_Z}$  the *Pauli-Z cobit channel*. One can similarly define the *Pauli-X cobit channel*  $\Delta_{\sigma_X}$  that coherently copies  $\sigma_X$  eigenstates.

In this paper, we extend the notion of the cobit channel to continuous-variable (CV) quantum information processing [2, 3]. We name the CV version the *conat* channel in analogy with Shannon’s name for the information in a continuous random variable measured in units of the natural logarithm. We then construct several coherent protocol primitives. We lastly address *duality under resource reversal* and discover a difference between the DV and CV coherent channels due to finite squeezing.

What is coherent communication useful for? Insights into quantum protocols occur by replacing classical bits with cobits—replacing a measurement and feedforward classical communication with a coherent channel and replacing a conditional unitary with a controlled unitary. Coherent teleportation and superdense coding for DVs are dual under resource reversal [1, 4]. Two protocols are *dual under resource reversal* if one protocol generates the same resources that the other protocol consumes and vice versa. *Coherent* remote state preparation (RSP) requires less entanglement than standard RSP [1]. Replacing classical bits with cobits produces coherent versions of several quantum information theory protocols [5, 6]. Coherent communication also provides an alternate construction of the newly discovered entanglement-assisted quantum error correcting codes [7, 8].

We structure this Letter by first motivating and providing a general *Heisenberg-representation* definition of a position-quadrature (PQ) conat channel and momentum-quadrature (MQ) conat channel. We then construct examples of CV coherent protocols. Finally, we analyze the duality of coherent teleportation and coherent su-

perdense coding under resource reversal. We find that finitely-squeezed coherent CV teleportation and superdense coding are dual under resource reversal only for some maximum number of compositions; beyond that point, classical operations suffice to implement the effective protocol. Duality does not hold when the number of compositions exceeds the maximum.

The cobit-channel definition immediately tempts one to define an ideal PQ conat channel as the quantum-feedback operation  $\Delta_X$  which copies position eigenstates:  $|x\rangle^A \rightarrow |x\rangle^A |x\rangle^B$ . The ideal MQ conat channel is the operation  $\Delta_P$  that copies momentum eigenstates. We call these conat channels *ideal* because copying the eigenstates exactly requires infinite energy.

We provide Heisenberg-representation definitions of both a finitely-squeezed PQ conat channel  $\tilde{\Delta}_X$  and MQ conat channel  $\tilde{\Delta}_P$  as an approximation to the above ideal scenarios. The first requirement for  $\tilde{\Delta}_X$  is that it approximate the ideal position-copying behavior mentioned above.  $\tilde{\Delta}_X$  should copy the PQ as exactly as possible given finite squeezing. Observe the effect of the ideal PQ conat channel  $\Delta_X$  on a momentum eigenstate  $|p\rangle$ . The resulting two-mode state is a maximally-entangled Bell state  $\int e^{ipx} |x\rangle^A |x\rangle^B dx$ . It is an eigenstate of the total momentum operator  $\hat{p}_A + \hat{p}_B$  with eigenvalue  $p$ . The second requirement is that the total momentum  $\hat{p}_A + \hat{p}_B$  should be close to the original momentum  $\hat{p}_A$ .

An  $\epsilon$ -approximate PQ conat channel  $\tilde{\Delta}_X$  performs the following transformation with conditions:

$$[\hat{x}_A \ \hat{p}_A]^T \xrightarrow{\tilde{\Delta}_X} [\hat{x}_{A'} \ \hat{p}_{A'} \ \hat{x}_{B'} \ \hat{p}_{B'}]^T \quad (1)$$

$$[\hat{x}_{A'}, \hat{p}_{A'}] = [\hat{x}_{B'}, \hat{p}_{B'}] = i \quad (2)$$

$$\hat{x}_{A'} = \hat{x}_A \quad (3)$$

$$\hat{x}_{B'} = \hat{x}_A + \hat{x}_{\Delta_X} \quad (4)$$

$$\hat{p}_{A'} = \hat{p}_A + \hat{p}_{\Delta_X} \quad (5)$$

$$\langle \hat{x}_{\Delta_X} \rangle = \langle \hat{p}_{\Delta_X} + \hat{p}_{B'} \rangle = 0 \quad (6)$$

$$\langle \hat{x}_{\Delta_X}^2 \rangle, \langle (\hat{p}_{\Delta_X} + \hat{p}_{B'})^2 \rangle \leq \epsilon \quad (7)$$

The momentum quadrature  $\hat{p}_{B'}$  is arbitrary as long as






FIG. 2: Alternate coherent teleportation protocol.

tation fidelity  $F$  [14] is as follows

$$F = 2 / \left[ \left( \langle (\Delta \hat{x}_{tel})^2 \rangle + 1 \right) \left( \langle (\Delta \hat{p}_{tel})^2 \rangle + 1 \right) \right]^{1/2} \quad (9)$$

where  $(\hat{x}_{tel}, \hat{p}_{tel})$  is the teleported mode. A lower bound on the fidelity  $F$  using the above coherent teleportation protocol is  $2 / ((2 + \epsilon_1 + \epsilon_2)(2 + \epsilon_1 + \epsilon_3))^{1/2}$ . Suppose the  $\epsilon_1$ -position-correlated state is entangled so that  $\epsilon_1 < 1$ . Then the coherent teleportation protocol exceeds the classical limit of  $1/2$  [9] if both  $\epsilon_2 < 1$  and  $\epsilon_3 < 1$ . Alice and Bob possess an  $(\epsilon_1 + \epsilon_2 + \epsilon_3)$ -position-correlated state shared between modes one and three. They also possess an  $(\epsilon_1 + \epsilon_3)$ -momentum-correlated state shared between modes two and four. Thus the original protocol becomes coherent with the benefit of generating two sets of entanglement correlations if  $\epsilon_1 + \epsilon_2 + \epsilon_3 < 1$ .

We provide an alternate coherent teleportation protocol which is not a direct mapping to Kimble and Braunstein's scheme (Fig. 2). This protocol is similar to van Enk's C1 protocol [15] and to another protocol [16]. Alice possesses a mode  $A$  that she wishes to teleport to Bob using two conjugate conat channels. Alice first sends her mode through an  $\epsilon_1$ -approximate PQ conat channel. She then sends her mode through an  $\epsilon_2$ -approximate MQ conat channel. Bob possesses two modes after the two operations. He performs an inverse controlled-position displacement on his two modes. The three modes after the protocol have the Heisenberg-picture observables:

$$\begin{aligned} \hat{x}_1 &= \hat{x}_A + \hat{x}_{\Delta_P}, & \hat{p}_1 &= \hat{p}_A + \hat{p}_{\Delta_X} \\ \hat{x}_2 &= \hat{x}_A + \hat{x}_{\Delta_X}, & \hat{p}_2 &= \hat{p}_A + (\hat{p}_{\Delta_X} + \hat{p}_{B'}) + \hat{p}_{\Delta_P} \\ \hat{x}_3 &= \hat{x}_{B''} - (\hat{x}_A + \hat{x}_{\Delta_X}), & \hat{p}_3 &= \hat{p}_A + \hat{p}_{\Delta_X} + \hat{p}_{\Delta_P} \end{aligned} \quad (10)$$

Alice possesses the first mode and Bob possesses the last two. Mode two is the teleported mode containing Alice's original state  $A$ . A lower bound on the fidelity  $F$  is  $2 / (2 + \epsilon_1 + \epsilon_2)$ . The teleportation fidelity exceeds the classical limit of  $1/2$  if both  $\epsilon_1 < 1$  and  $\epsilon_2 < 1$ . Alice and Bob possess an  $(\epsilon_1 + \epsilon_2)$ -momentum-correlated state shared between modes one and three (momentum-entangled if  $\epsilon_1 + \epsilon_2 < 1$ ).

Braunstein and Kimble provided a theoretical proposal for a superdense coding protocol with CVs [17]. They demonstrated that bipartite CV entanglement and




FIG. 3: Coherent superdense coding implements two conat channels.

a qunat channel can double classical communication capacity in the limit of large squeezing. We provide a coherent version of their superdense coding protocol by implementing both a PQ and a MQ conat channel rather than two classical nat channels (Fig. 3).

The global state shared between Alice and Bob at the start of the protocol is a four-mode state. Alice possesses two modes  $A_1$  and  $A_2$ . She wants to simulate a MQ conat channel on  $A_1$  and a PQ conat channel on  $A_2$ . Alice and Bob possess an  $\epsilon$ -position-correlated state shared between modes three ( $\hat{x}_A, \hat{p}_A$ ) and four ( $\hat{x}_B, \hat{p}_B$ ) with mean-zero relative position and total momentum. Alice performs a controlled-position displacement on her modes two and three followed by a controlled-momentum displacement on modes one and three. The controlled displacements replace the conditional displacements in Braunstein and Kimble's protocol. Alice sends mode three to Bob via the qunat channel. Bob performs an inverse controlled-position displacement on modes three and four followed by reflecting mode four. The last two operations replace the beamsplitter in the original dense coding protocol. The last two operations are also the inverse operations of the preparation stage for the coherent teleportation protocol (compare Fig. 1 and Fig. 3). The four modes then have the Heisenberg-picture observables:

$$\begin{aligned} \hat{x}_1 &= \hat{x}_{A_1} - (\hat{x}_{A_2} + \hat{x}_A), & \hat{p}_1 &= \hat{p}_{A_1} \\ \hat{x}_2 &= \hat{x}_{A_2}, & \hat{p}_2 &= \hat{p}_{A_2} - \hat{p}_A \\ \hat{x}_3 &= \hat{x}_{A_2} + \hat{x}_A, & \hat{p}_3 &= \hat{p}_{A_1} + (\hat{p}_A + \hat{p}_B) \\ \hat{x}_4 &= \hat{x}_{A_2} + (\hat{x}_A - \hat{x}_B), & \hat{p}_4 &= -\hat{p}_B \end{aligned} \quad (11)$$

Modes one and three satisfy the conditions for an  $\epsilon$ -approximate MQ conat channel. Modes two and four satisfy the conditions for an  $\epsilon$ -approximate PQ conat channel. Coherent superdense coding thus gives an operational interpretation to the PQ and MQ conat channels.

Coherent teleportation and superdense coding for DVs are dual under resource reversal [1, 4], meaning that the resources generated by one protocol are consumed by the other and vice versa. Duality under resource reversal is only possible to some degree with CVs because of finite squeezing. We first give two ways of composing the protocols. We then illustrate how the duality does not hold for some finite number of compositions.

Implementing coherent teleportation with coherent superdense coding is one way of composition. Coherent superdense coding (Fig. 3) plays the role of the coherent channels in coherent teleportation (Fig. 1). Alice wishes to teleport a mode  $A_1$  to Bob. Suppose Alice and Bob share an  $\epsilon_1$ -position-correlated state with mode operators  $(\hat{x}_A, \hat{p}_A, \hat{x}_B, \hat{p}_B)$  and an  $\epsilon_2$ -position-correlated state with mode operators  $(\hat{x}_{\bar{A}}, \hat{p}_{\bar{A}}, \hat{x}_{\bar{B}}, \hat{p}_{\bar{B}})$ . Both correlated sets have mean-zero relative position and total momentum. They use the first correlated state for coherent teleportation. They use the second correlated state for coherent superdense coding—which in turn implements both an  $\epsilon_2$ -approximate MQ conat channel and an  $\epsilon_2$ -approximate PQ conat channel. The results are the same as coherent teleportation (Fig. 1) with some modifications. Alice and Bob possess an  $(\epsilon_1 + \epsilon_2)$ -momentum-correlated state shared between modes one and three and an  $(\epsilon_1 + \epsilon_2)$ -position-correlated state shared between modes two and four. Mode five is the teleported mode with Alice's original state  $A_1$ . A lower bound on the fidelity  $F$  using this protocol is  $2/(2 + \epsilon_1 + \epsilon_2)$ . The fidelity exceeds the limit of  $1/2$  if both  $\epsilon_1 < 1$  and  $\epsilon_2 < 1$ .

Implementing coherent superdense coding with coherent teleportation is another way of composition. The alternate coherent teleportation in Fig. 2 replaces the qunat channel in Fig. 3. The protocol is similar to coherent superdense coding except for an additional set of two correlated modes. It begins with Alice possessing two modes represented by quadrature operators  $(\hat{x}_{A_1}, \hat{p}_{A_1}, \hat{x}_{A_2}, \hat{p}_{A_2})$ . She wishes to implement a PQ and MQ conat channel on these two modes. Suppose that Alice and Bob possess an  $\epsilon_1$ -position-correlated state represented by the quadrature operators  $(\hat{x}_A, \hat{p}_A, \hat{x}_B, \hat{p}_B)$  with mean-zero relative position and total momentum. Alice performs controlled displacements on her three modes (Fig. 3). She uses alternate coherent teleportation to implement the qunat channel. She uses an  $\epsilon_2$ -approximate PQ conat channel and an  $\epsilon_3$ -approximate MQ conat channel for alternate coherent teleportation. Bob performs the last two operations in Fig. 3. The six modes then have the Heisenberg-picture observables:

$$\begin{aligned}
\hat{x}_1 &= \hat{x}_{A_1} - (\hat{x}_{A_2} + \hat{x}_A), & \hat{p}_1 &= \hat{p}_{A_1} \\
\hat{x}_2 &= \hat{x}_{A_2}, & \hat{p}_2 &= \hat{p}_{A_2} - \hat{p}_A \\
\hat{x}_3 &= \hat{x}_{A_2} + \hat{x}_A + \hat{x}_{\Delta_X}, & \hat{p}_3 &= \hat{p}_{A_1} + \hat{p}_A + \hat{p}_{\Delta_X} \\
\hat{x}_4 &= \hat{x}_{A_2} + \hat{x}_A + \hat{x}_{\Delta_X} \\
\hat{p}_4 &= \hat{p}_{A_1} + (\hat{p}_A + \hat{p}_B) + (\hat{p}_{\Delta_X} + \hat{p}_{B'}) + \hat{p}_{\Delta_P} \\
\hat{x}_5 &= \hat{x}_{B''} - (\hat{x}_{A_2} + \hat{x}_A + \hat{x}_{\Delta_X}) \\
\hat{p}_5 &= \hat{p}_{A_1} + \hat{p}_A + \hat{p}_{\Delta_X} + \hat{p}_{\Delta_P} \\
\hat{x}_6 &= \hat{x}_{A_2} + (\hat{x}_A - \hat{x}_B) + \hat{x}_{\Delta_X}, & \hat{p}_6 &= -\hat{p}_B
\end{aligned} \tag{12}$$

where Alice possesses modes 1-3 and Bob possesses modes 4-6. Alice and Bob share an  $(\epsilon_2 + \epsilon_3)$ -momentum-correlated state between modes three and five. Alice implements an  $(\epsilon_1 + \epsilon_2 + \epsilon_3)$ -approximate MQ conat chan-

nel between modes one and four if  $\epsilon_1 + \epsilon_2 + \epsilon_3 < 1$ . She implements an  $(\epsilon_1 + \epsilon_2)$ -approximate PQ conat channel between modes two and six if  $\epsilon_1 + \epsilon_2 < 1$ .

Coherent teleportation and coherent superdense coding are dual under resource reversal in the sense given by the above first-order compositions if the  $\epsilon$  quantities are small enough. But examine the above protocols to observe a loss of duality. The  $\epsilon$  quantities accumulate additively when composing multiple protocols using imperfect conat channels. Repeated use of nonideal conat channels eventually degrades the available level of squeezing until the sufficient conditions for entanglement and for teleportation fidelity exceeding the classical limit no longer hold. The protocols are not dual under resource reversal after some maximum number of compositions due to finite-squeezing losses.

We provided conat-channel definitions and demonstrated several coherent protocols. We concluded with an analysis of the duality under resource reversal of coherent teleportation and coherent superdense coding. The conat channel should lead to other CV coherent protocols. We thank Igor Devetak for useful discussions and Geza Giedke for a useful comment. TAB and HK acknowledge support by NSF Grant CCF-0448658.

---

\* Electronic address: mark.wilde@usc.edu

- [1] A. Harrow, Phys. Rev. Lett. **92**, 097902 (2004).
- [2] S. L. Braunstein and A. Pati, eds., *Quantum Information with Continuous Variables* (Springer, 2003).
- [3] S. L. Braunstein and P. van Loock, Rev. Mod. Phys. **77**, 513 (2005).
- [4] I. Devetak, Physical Review Letters **97**, 140503 (2006).
- [5] I. Devetak, A. W. Harrow, and A. Winter, Phys. Rev. Lett. **93**, 230504 (2004).
- [6] I. Devetak, A. W. Harrow, and A. Winter, e-print: quant-ph/0512015 (2005).
- [7] T. A. Brun, I. Devetak, and M.-H. Hsieh, Science **314**, pp. 436 (2006).
- [8] T. A. Brun, I. Devetak, and M.-H. Hsieh, e-print: quant-ph/0608027 (2006).
- [9] S. L. Braunstein and H. J. Kimble, Phys. Rev. Lett. **80**, 869 (1998).
- [10] C. M. Caves and K. Wodkiewicz, Phys. Rev. Lett. **93**, 040506 (2004).
- [11] F. Grosshans and P. Grangier, Phys. Rev. A **64**, 010301(R) (2001).
- [12] L.-M. Duan, G. Giedke, J. I. Cirac, and P. Zoller, Phys. Rev. Lett. **84**, 2722 (2000).
- [13] L. Vaidman, Phys. Rev. A **49**, 1473 (1994).
- [14] A. Furusawa, J. L. Srensen, S. L. Braunstein, C. A. Fuchs, H. J. Kimble, and E. S. Polzik, Science **282**, 706 (1998).
- [15] S. J. van Enk, Phys. Rev. A **71**, 032339 (2005).
- [16] I. Devetak, private comm. (2006).
- [17] S. L. Braunstein and H. J. Kimble, Phys. Rev. A **61**, 042302 (2000).