

1. Bensoussan, A. and Temam, R.: Equations stochastiques de type Navier-Stokes. Journal of Functional Analysis, 13:195{222, 1973.
[https://doi.org/10.1016/0022-1236\(73\)90045-1](https://doi.org/10.1016/0022-1236(73)90045-1)
2. Breckner (Lisei), H.: Approximation and optimal control of the stochastic Navier-Stokes equations. Dissertation, Martin-Luther University, Halle-Wittenberg, 1999.
3. Brzeźniak, Z., Liu, W., and Zhu, J.: Strong solutions for SPDE with locally monotone coefficients driven by Lévy noise. Nonlinear Anal. Real World Appl., 17:283{310, 2014.
<https://doi.org/10.1016/j.nonrwa.2013.12.005>
4. Brzeźniak, Z., Hausenblas, E., and Raza mandimby, P. A.: Some results on the penalised nematic liquid crystals driven by multiplicative noise. arXiv:1310.8641, 2016.
5. Brzeźniak, Z., Hausenblas, E., and Zhu, J.: 2D stochastic Navier-Stokes equations driven by jump noise. Nonlinear Anal., 79:122{139, 2013.
<https://doi.org/10.1016/j.na.2012.10.011>
6. Brzeźniak, Z., Manna, U., and Panda, A.A.: Existence of weak martingale solution of nematic liquid crystals driven by pure jump noise. arXiv:1706.05056, 2017.
7. Caraballo, T., Real, J., and Taniguchi, T.: On the existence and uniqueness of solutions to stochastic three-dimensional Lagrangian averaged Navier-Stokes equations. Proc. R. Soc. Lond. Ser. A Math. Phys. Eng. Sci., 462(2066):459{479, 2006.
<https://doi.org/10.1098/rspa.2005.1574>
8. Cavaterra, C., Rocca, E., and Wu, H.: Global weak solution and blow-up criterion of the general Ericksen-Leslie system for nematic liquid crystals. J. Differential Equations, 255(1):24{57, 2013.
<https://doi.org/10.1007/s15016-013-0413-7>
9. Chueshov, I. and Millet, A.: Stochastic 2D hydrodynamical type systems: well posedness and large deviations. Appl. Math. Optim., 61:379{420, 2010.
<https://doi.org/10.1007/s00245-009-9091-z>
10. Deugoue, G. and Tachim Medjo, T.: On a stochastic 2D Cahn-Hilliard-Navier-Stokes driven

by jump noise. Submitted, 2017.

11. Dong, Z., Li, W. V., and Zhai, J.: Stationary weak solutions for stochastic 3D Navier-Stokes

equations with Levy noise. *Stochastic and Dynamics*, 12(1):1150006, 2012.

<https://doi.org/10.1142/S0219493712003559>

12. Dong, Z. and Xie, Y.: Global solutions of stochastic 2D Navier-Stokes equations with Levy

noise. *Science in China Series A: Mathematics*, 52(7):1497{1524, 2009.

<https://doi.org/10.1007/s11425-009-0124-5>

13. Dong, Z. and Zhai, J.: Martingale solutions and Markov selection of stochastic 3D Navier-

Stokes equations with jump. *Journal of Differential Equations*, 250(6):2737{2778, 2011.

<https://doi.org/10.1016/j.jde.2011.01.018>

14. Ericksen, J. L.: Conservation laws for liquid crystals. *Trans. Soc. Rheology*, 5:23{34, 1961.

<https://doi.org/10.1122/1.548883>

15. Ericksen, J. L.: Hydrostatic theory of liquid crystals. *Arch. Rational Mech. Anal.*, 9:371{378,

<https://doi.org/10.1007/BF00253358>

1962.

16. Fan, J. and Jiang, F.: Large-time behavior of liquid crystal

flows with a trigonometric

condition in two dimensions. *Commun. Pure Appl. Anal.*, 15(1):73{90, 2016.

<https://doi.org/10.3934/cpaa.2016.15.73>

17. Faris, W. G. and Jona-Lasinio, G.: Large

fluctuations for a nonlinear heat equation with

noise. *J. Phys. A*, 15(10):3025{3055, 1982.

<https://doi.org/10.1088/0305-4470/15/10/011>

18. Feireisl, E., Frémond, M., and Rocca, E.: A new approach to non-isothermal models for

nematic liquid crystals. *Arch. Ration. Mech. Anal.*, 205(2):651{672, 2012.

<https://doi.org/10.1007/s00205-012-0517-4>

19. Feireisl, E., Rocca, E., and Schimperna, G.: On a non-isothermal model for nematic liquid

crystals. *Nonlinearity*, 24(1):243{257, 2011.

<https://doi.org/10.1088/0951-7715/24/1/012>

20. Gal, G. and Grasselli, M.: Asymptotic behavior of a Cahn-Hilliard-Navier-Stokes system in 2D. *Ann. Inst. H. Poincaré Anal. Non Linéaire*, 27(1):401{436, 2010.
<https://doi.org/10.1016/j.anihpc.2009.11.013>
21. Gong, H., Huang, J., Liu, L., and Liu, X.: Global strong solutions of the 2D simplified Ericksen-Leslie system. *Nonlinearity*, 28(10):3677{3694, 2015.
<https://doi.org/10.1088/0951-7715/28/10/3677>
22. Gong, H., Li, J., and Xu, C.: Local well-posedness of strong solutions to density-dependent liquid crystal system. *Nonlinear Anal.*, 147:26{44, 2016.
<https://doi.org/10.1016/j.na.2016.08.014>
23. Hausenblas, E. and Razafimanandimby, P. A.: On stochastic evolution equations for nonlinear bipolar fluids: well-posedness and some properties of the solution. *J. Math. Anal. Appl.*, 441(2):763{800, 2016.
24. Hong, M.C.: Global existence of solutions of the simplified Ericksen-Leslie system in dimension two. *Calc. Var. Partial Differential Equations*, 40(1-2):15{36, 2011.
<https://doi.org/10.1007/s00526-010-0331-5>
25. Hong, M.C., Li, J., and Xin, Z.: Blow-up criteria of strong solutions to the Ericksen-Leslie system in \mathbb{R}^3 . *Comm. Partial Differential Equations*, 39(7):1284{1328, 2014.
<https://doi.org/10.1080/03605302.2013.871026>
26. Hong, M.C. and Xin, Z. P.: Global existence of solutions of the liquid crystal Oseen-Frank model in \mathbb{R}^2 . *Adv. Math.*, 231(3-4):1364{1400, 2012.
27. Horsthemke, W. and Lefever, R.: *Noise-Induced Transitions. Theory and Applications in Physics, Chemistry and Biology.* Springer Series in Synergetics, 15. Springer-Verlag, Berlin, 1984.
28. Huang, J., Lin, F., and Wang, C.: Regularity and existence of global solutions to the Ericksen-Leslie system in \mathbb{R}^2 . *Comm. Math. Phys.*, 331(2):805{850, 2014.
<https://doi.org/10.1007/s00220-014-2079-9>

29. Leray, J.: Sur le mouvement d'un liquide visqueux emplissant l'espace. Acta Math., 63(1):193{248, 1934.
30. Leslie, F.M.: Some constitutive equations for anisotropic fluids. Quart. J. Mech. Appl. Math., 19:357{370, 1966.
<https://doi.org/10.1086/200737>
31. Leslie, F.M.: Some constitutive equations for liquid crystals. Arch. Rational Mech. Anal., 28(4):265{283, 1968.
32. Li, J., Titi, E. S., and Xin, Z.: On the uniqueness of weak solutions to the Ericksen-Leslie liquid crystal model in \mathbb{R}^2 . Math. Models Methods Appl. Sci., 26(4):803{822, 2016.
<https://doi.org/10.1142/S0218202516500184>
33. Lin, F. and Wang, C.: On the uniqueness of heat flow of harmonic maps and hydrodynamic flow of nematic liquid crystals. Chin. Ann. Math. Ser. B, 31(6):921{938, 2010.
<https://doi.org/10.1007/s11401-010-0612-5>
34. Lin, F. and Wang, C.: Global existence of weak solutions of the nematic liquid crystal flow in dimension three. Comm. Pure Appl. Math., 69(8):1532{1571, 2016.
<https://doi.org/10.1002/cpa.21583>
35. Lin, F. H.: Nonlinear theory of defects in nematic liquid crystals; phase transition and flow phenomena. Comm. Pure Appl. Math., 42(6):789{814, 1989.
<https://doi.org/10.1002/cpa.3160420605>
36. Lin, F. H. and Liu, C.: Nonparabolic dissipative systems modeling the flow of liquid crystals. Comm. Pure Appl. Math., 48(5):501{537, 1995.
<https://doi.org/10.1002/cpa.3160480503>

37. Lin, F. H. and Liu, C.: Partial regularity of the dynamic system modeling the flow of liquid crystals. *Discrete Contin. Dynam. Systems*, 2(1):1{22, 1996.
38. Lin, F. H. and Liu, C.: Existence of solutions for the Ericksen-Leslie system. *Arch. Ration. Mech. Anal.*, 154(2):135{156, 2000.
<https://doi.org/10.1007/s002050000102>
39. Lin, F.H., Liu, J.Y., and Wang, C.Y.: Liquid crystal flows in two dimensions. *Arch. Ration. Mech. Anal.*, 197(1):297{336, 2010.
<https://doi.org/10.1007/s00205-009-0278-x>
40. Lions, J.L. and Prodi, G.: Un th eor eme d'existence et unicite dans les equations de Navier-Stokes en dimension 2. *C. R. Acad. Sci. Paris*, 248:3519{3521, 1959.
41. Liu, W. and R ockner, M.: SPDE in Hilbert space with locally monotone coefficients. *J. Funct. Anal.*, 259(11):2902{2922, 2010.
<https://doi.org/10.1016/j.jfa.2010.05.012>
42. Liu, W. and R ockner, M.: Local and global well-posedness of SPDE with generalized coercivity conditions. *J. Differential Equations*, 254(2):725{755, 2013.
<https://doi.org/10.1016/j.jde.2012.09.014>
43. Motyl, E.: Martingale solution to the 2D and 3D stochastic Navier-Stokes equations driven by the compensated poisson random measure. Department of Mathematics and Computer Sciences, Lodz University, Preprint 13, 2011.
44. Motyl, E.: Stochastic Navier-Stokes equations driven by Levy noise in unbounded 3D domains. *Potential Analysis*, 38:863{912, 2013.
<https://doi.org/10.1139/apnm-2013-0179>
45. Motyl, E.: Stochastic hydrodynamic-type evolution equations driven by Levy noise in 3D unbounded domains- Abstract framework and applications. *Stochastic Processes and their Applications*, 124:2052{2097, 2014.
<https://doi.org/10.1016/j.spa.2014.01.009>

46. Peszat, S. and Zabczyk, J.: Stochastic partial differential equations with L evy noise. An evolution equation approach. Encyclopedia of Mathematics and its Applications, 113. Cambridge University Press, Cambridge, 2007.
47. Raza mandimby, P.A., Hausenblas, E., and Sango, M.: Martingale solution to equations for differential type fluids of grade two driven by random force of L evy type. Potential Analysis, 38(4):1291{1331, 2013.
48. Sagues, F. and San Miguel, M.: Dynamics of Fredericksz transition in a fluctuating magnetic field. Phys. Rev. A., 32(3):1843{1851, 1985.
<https://doi.org/10.1103/PhysRevA.32.1843>
49. San Miguel, M.: Nematic liquid crystals in a stochastic magnetic field: Spatial correlations. Phys. Rev. A., 32(6):3811{3813, 1985.
<https://doi.org/10.1103/PhysRevA.32.3811>
50. Sun, H. and Liu, C.: On energetic variational approaches in modeling the nematic liquid crystal flows. Discrete Contin. Dyn. Syst., 23(1-2):455{475, 2009.
51. Tachim Medjo, T.: On a stochastic 2D Allen-Cahn-Navier-Stokes driven by jump noise. Submitted, 2017.
52. Temam, R.: Infinite Dynamical Systems in Mechanics and Physics, volume 68. Appl. Math. Sci., Springer-Verlag, New York, second edition, 1997.
53. Temam, R.: Navier-Stokes Equations, Theory and Numerical Analysis. AMS-Chelsea Series, AMS, Providence, 2001.
54. Temam, R. and Ziane, M.: Some mathematical problems in geophysical fluid dynamics. In

- S. Friedlander and D. Serre, editors, Handbook of Mathematical Fluid Dynamics, Vol. III, pages 535{658. Elsevier, 2004.
55. Wang, M. and Wang, W.: Global existence of weak solution for the 2-D Ericksen-Leslie system. Calc. Var. Partial Differential Equations, 51(3-4):915{962, 2014.
<https://doi.org/10.1007/s00526-013-0700-y>
56. Wang, M. and Wang, W. and Zhang, Z.: On the uniqueness of weak solution for the 2-D Ericksen-Leslie system. Discrete Contin. Dyn. Syst. Ser. B, 21(3):919{941, 2016.
<https://doi.org/10.3934/dcdsb.2016.21.919>
57. Wu, H., Xu, X., and Liu, C.: Asymptotic behavior for a nematic liquid crystal model with different kinematic transport properties. Calc. Var. Partial Differential Equations, 45(3{4):319{345, 2012.
58. Wu, H., Xu, X., and Liu, C.: On the general Ericksen-Leslie system: Parodi's relation, well-posedness and stability. Arch. Ration. Mech. Anal., 208(1):59{107, 2013.
<https://doi.org/10.1007/s00205-012-0588-2>
59. Xu, T. and Zhang, T.: Large deviation principles for 2D stochastic Navier-Stokes equations driven by L evy processes. Journal of Functional Analysis, 257(5):1519{1545, 2009.
<https://doi.org/10.1016/j.jfa.2009.05.007>
60. Xu, X. and Zhang, Z.: Global regularity and uniqueness of weak solution for the 2-D liquid crystal
ows. J. Differential Equations, 252(2):1169{1181, 2012.
<https://doi.org/10.1016/j.jde.2011.08.028>
61. Zhai, J. and Zhang, T.: Large deviations for 2D stochastic Navier-Stokes equations driven by multiplicative L evy noises. Bernoulli, 21(4):2351{239, 2015.
<https://doi.org/10.3150/14-BEJ647>