

1. Abels, H.: On a diffuse interface model for a two-phase

flow of compressible viscous

fluids.

Indiana Univ. Math. J., 57:659{698, 2008.

<https://doi.org/10.1512/iumj.2008.57.3391>

2. Abels, H.: On a diffuse interface model for two-phase

flows of viscous, incompressible

fluids

with matched densities. Arch. Ration. Mech. Anal., 194:463{506, 2009.

<https://doi.org/10.1007/s00205-008-0160-2>

3. Albeverio, S., Brzeźniak, Z. and Wu, J. L.: Existence of global solutions and invariant

measures for stochastic differential equations driven by poisson type noise with non-Lipschitz

coefficients. J. Math. Anal. Appl., 371(1):309{322, 2010.

4. Bensoussan, A. and Temam, R.: Equations stochastiques de type Navier-Stokes. Journal of

Functional Analysis, 13:195{222, 1973.

[https://doi.org/10.1016/0022-1236\(73\)90045-1](https://doi.org/10.1016/0022-1236(73)90045-1)

5. Blesgen, T.: A generalization of the Navier-Stokes equation to two-phase

flow. Physica D

(Applied Physics), 32:1119{1123, 1999.

<https://doi.org/10.1088/0022-3727/32/10/307>

6. Boyer, F.: Mathematical study of multi-phase

flow under shear through order parameter

formulation. Asymptotic Anal., 20:175{212, 1999.

[https://doi.org/10.1016/S1090-1027\(99\)00044-6](https://doi.org/10.1016/S1090-1027(99)00044-6)

7. Boyer, F.: Nonhomogeneous Cahn-Hilliard

fluids. Ann. Inst. H. Poincaré e Anal. Non

Linéaire, 18:225{259, 2001.

[https://doi.org/10.1016/S0294-1449\(00\)00063-9](https://doi.org/10.1016/S0294-1449(00)00063-9)

8. Boyer, F.: A theoretical and numerical model for the study of incompressible mixture

ows.

Computer and Fluids, 31:41{68, 2002.

[https://doi.org/10.1016/S0045-7930\(00\)00031-1](https://doi.org/10.1016/S0045-7930(00)00031-1)

9. Breckner (Lisei), H.: Approximation and optimal control of the stochastic Navier-Stokes

equations. Dissertation, Martin-Luther University, Halle-Wittenberg, 1999.

10. Brzeźniak, Z., Hausenblas, E. and Raza mandimby, P. A.: Some results on the penalised

nematic liquid crystals driven by multiplicative noise. arXiv:1310.8641, 2016.

11. Brzeźniak, Z., Hausenblas, E. and Zhu, J.: 2D stochastic Navier-Stokes equations driven by

jump noise. Nonlinear Anal., 79:122{139, 2013.

<https://doi.org/10.1016/j.na.2012.10.011>

12. Brzeźniak, Z., Liu, W. and Zhu, J.: Strong solutions for SPDE with locally monotone coef-

icients driven by Lévy noise. Nonlinear Anal. Real World Appl., 17:283{310, 2014.

<https://doi.org/10.1016/j.nonrwa.2013.12.005>

13. Brzeźniak, Z., Manna, U. and Panda, A. A.: Existence of weak martingale solution of nematic

liquid crystals driven by pure jump noise. arXiv:1706.05056, 2017.

14. Caginalp, G.: An analysis of a phase field model of a free boundary. Arch. Rational Mech.

Anal., 92(3):205{245, 1986.

<https://doi.org/10.1007/BF00254827>

15. Cao, C. and Gal, G.: Global solutions for the 2D NS-CH model for a two-phase

ow

of viscous, incompressible

fluids with mixed partial viscosity and mobility. Nonlinearity,

25(11):3211{3234, 2012.

16. Caraballo, T., Real, J. and Taniguchi, T.: On the existence and uniqueness of solutions

to stochastic three-dimensional Lagrangian averaged Navier-Stokes equations. Proc. R. Soc.

Lond. Ser. A Math. Phys. Eng. Sci., 462(2066):459{479, 2006.

17. Chueshov, I. and Millet, A.: Stochastic 2D hydrodynamical type systems: well posedness and large deviations. Appl. Math. Optim., 61:379{420, 2010.  
<https://doi.org/10.1007/s00245-009-9091-z>

18. Deugoue, G. and Tachim Medjo, T.: The exponential behavior of a stochastic globally modified Cahn-Hilliard-Navier-Stokes model with multiplicative noise. J. Math. Anal. Appl., 460(1):140{163, 2018.

19. Deugoue, G. and Tachim Medjo, T.: On the convergence for the 3D globally modified Cahn-Hilliard-Navier-Stokes equations. tachimt@ u.edu J. Differential Equations, 265(2):545592, 2018.

20. Dong, Z., Li, W. V. and Zhai, J.: Stationary weak solutions for stochastic 3D Navier-Stokes equations with Levy noise. Stochastic and Dynamics, 12(1):1150006, 2012.  
<https://doi.org/10.1142/S0219493712003559>

21. Dong, Z. and Xie, Y.: Global solutions of stochastic 2D Navier-Stokes equations with Levy noise. Science in China Series A: Mathematics, 52(7):1497{1524, 2009.  
<https://doi.org/10.1007/s11425-009-0124-5>

22. Dong, Z. and Zhai, J.: Martingale solutions and Markov selection of stochastic 3D Navier-Stokes equations with jump. Journal of Differential Equations, 250(6):2737{2778, 2011.  
<https://doi.org/10.1016/j.jde.2011.01.018>

23. Faris, W. G. and Jona-Lasinio, G.: Large fluctuations for a nonlinear heat equation with noise. J. Phys. A, 15(10):3025{3055, 1982.  
<https://doi.org/10.1088/0305-4470/15/10/011>

24. Feireisl, E., Petzeltova, E., Rocca, E. and Schimperna, G.: Analysis of a phase-field model for two-phase compressible fluids. Math. Models Methods Appl. Sci., 20(7):1129{1160, 2010.  
<https://doi.org/10.1142/S0218202510004544>

25. Gal, C. and Grasselli, M.: Asymptotic behavior of a Cahn-Hilliard-Navier-Stokes system in

2D. Ann. Inst. H. Poincaré Anal. Non Linéaire, 27(1):401{436, 2010.

<https://doi.org/10.1016/j.anihpc.2009.11.013>

26. Gal, C. and Grasselli, M.: Longtime behavior for a model of homogeneous incompressible

two-phase

flows. Discrete Contin. Dyn. Syst., 28(1):1{39, 2010.

27. Gal, C. and Grasselli, M.: Trajectory attractors for binary

fluid mixtures in 3D. Chin. Ann.

Math. Ser. B, 31(5):655{678, 2010.

<https://doi.org/10.1007/s11401-010-0603-6>

28. Gurtin, M. E., Polignone, D. and Vinals, J.: Two-phase binary

fluid and immiscible

fluids

described by an order parameter. Math. Models Methods Appl. Sci., 6:8{15, 1996.

29. Hausenblas, E. and Razafimanamby, P. A.: On stochastic evolution equations for nonlinear

bipolar

fluids: well-posedness and some properties of the solution. J. Math. Anal. Appl.,

441(2):763{800, 2016.

30. Hohenberg, P. C. and Halperin, B. I.: Theory of dynamical critical phenomena. Rev. Modern

Phys., 49:435{479, 1977.

<https://doi.org/10.1103/RevModPhys.49.435>

31. Leray, J.: Sur le mouvement d'un liquide visqueux emplissant l'espace. Acta Math.,

63(1):193{248, 1934.

32. Lions, J. L. and Prodi, G.: Un théorème d'existence et unicité dans les équations de Navier-

Stokes en dimension 2. C. R. Acad. Sci. Paris, 248:3519{3521, 1959.

33. Liu, W. and Rockner, M.: SPDE in Hilbert space with locally monotone coefficients. J.

Funct. Anal., 259(11):2902{2922, 2010.

<https://doi.org/10.1016/j.jfa.2010.05.012>

34. Liu, W. and Röckner, M.: Local and global well-posedness of SPDE with generalized coercivity conditions. *J. Differential Equations*, 254(2):725{755, 2013.

<https://doi.org/10.1016/j.jde.2012.09.014>

35. Tachim Medjo, T.: On the existence and uniqueness of solution to a stochastic 2D Cahn-Hilliard-Navier-Stokes model. *J. Differential Equations*, 262:1028{1054, 2017.

36. Motyl, E.: Martingale solution to the 2D and 3D stochastic Navier-Stokes equations driven by the compensated poisson random measure. Department of Mathematics and Computer Sciences, Lodz University, Preprint 13, 2011.

37. Motyl, E.: Stochastic Navier-Stokes equations driven by Lévy noise in unbounded 3D domains. *Potential Analysis*, 38:863{912, 2013.

<https://doi.org/10.1139/apnm-2013-0179>

38. Motyl, E.: Stochastic hydrodynamic-type evolution equations driven by Lévy noise in 3D unbounded domains- Abstract framework and applications. *Stochastic Processes and their Applications*, 124:2052{2097, 2014.

<https://doi.org/10.1016/j.spa.2014.01.009>

39. Peszat, S. and Zabczyk, J.: Stochastic partial differential equations with Lévy noise. An evolution equation approach. *Encyclopedia of Mathematics and its Applications*, 113. Cambridge University Press, Cambridge, 2007.

40. Raza mandimby, P. A., Hausenblas, E. and Sango, M.: Martingale solution to equations for differential type

fluids of grade two driven by random force of Lévy type. *Potential Analysis*,

38(4):1291{1331, 2013.

41. Temam, R.: *Infinite Dynamical Systems in Mechanics and Physics*, volume 68. *Appl. Math. Sci.*, Springer-Verlag, New York, second edition, 1997.

42. Temam, R.: *Navier-Stokes Equations, Theory and Numerical Analysis*. AMS-Chelsea Series,

AMS, Providence, 2001.

43. Temam, R. and Ziane, M.: Some mathematical problems in geophysical  
fluid dynamics. In

S. Friedlander and D. Serre, editors, Handbook of Mathematical Fluid Dynamics, Vol. III,  
pages 535{658. Elsevier, 2004.

44. Xu, T. and Zhang, T.: Large deviation principles for 2D stochastic Navier-Stokes equations  
driven by L evy processes. Journal of Functional Analysis, 257(5):1519{1545, 2009.  
<https://doi.org/10.1016/j.jfa.2009.05.007>

45. Zhai, J. and Zhang, T.: Large deviations for 2D stochastic Navier-Stokes equations driven  
by multiplicative L evy noises. Bernoulli, 21(4):2351{239, 2015.  
<https://doi.org/10.3150/14-BEJ647>